

LIDA® Pack

Canistered Wire Anodes




LIDA® Pack Canistered Wire Anode

LIDA® Pack canistered wire anodes are the perfect impressed current anode for shallow vertical and horizontal surface groundbeds, as well as wet, marshy soil conditions where caving is likely to occur.

Anode Construction — The primary anode element in a LIDA® Pack is a mixed metal oxide wire anode. The wire anode is comprised of a precious metal oxide coating applied to a copper cored titanium wire. The oxide coating is completely stable and does not corrode, as is the case with traditional massive type anodes, such as silicon iron, graphite, or even platinum.

The stable anode element passes current to a highly conductive calcined petroleum coke backfill. The backfill is well compacted inside a galvanized steel canister. To allow moisture to quickly migrate to the coke backfill for increased electrical conductivity, the wire anode element is electrically connected to the steel canister — thereby accelerating the canister corrosion rate once the anode has been installed and energized. Specify cable lengths and type when placing any order.



APPLICATIONS

- Underground Storage Tanks
- Above Ground Storage Tanks
- Pipelines

FEATURES / BENEFITS

- Lightweight
- Easy to Handle and Install
- Reduces Excavation and Drilling costs
- Unconditional Five Year Warranty

Dimensions:

Model	Weight w/o Cable Lbs (Kg)	Current Output	Backfill
		at 20 yrs Amps	Lifetime Amps-yrs
LP 3 x 40 S	18 (8.17)	0.6	4.8
LP 3 x 60 S	27 (12.26)	1.0	7.5
LP 3 x 80 S	36 (16.34)	1.4	10.3
LP 3 x 40 H	18 (8.17)	1.3	4.8
LP 3 x 60 H	27 (12.26)	2.0	7.5
LP 3 x 80 H	36 (16.34)	2.8	10.3

"S" indicates 1.5 mm wire, "H" indicates 3 mm



www.denora.com

Durantes Vincunt

Industrie De Nora - Via Bistolfi, 35 - 20134 Milan, Italy - ph +39 02 21291 - fax +39 02 2129 2363 - mail info.products@denora.com

All information, recommendations and suggestions appearing herein concerning the use of our products are based upon tests and data believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of the products described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by De Nora as to the effects of such use or the results to be obtained, nor does De Nora assume any liability arising out of the use by others of the products referred to herein. In addition, the information herein is not to be construed as absolutely complete since additional information may be necessary or desirable when particular circumstances exist or because of applicable laws or government regulations. Nothing herein contained is to be construed as a recommendation to infringe any patent.